



LITA GARDEN

NINGBO LITA GARDEN TECHNOLOGY CO.,LTD

Add: NO.101,2nd Gongmao Rd,Jishigang Town, Ningbo China

Tel: 0086-574-87965261

Fax:0086-574-87965289

Web: www.litagarden.com

Contact person: Ted Chen

Email: sales@litagarden.com

Wechat /Whatsapp: 0086-18094518270

LITA GARDEN



**LAWN
MOWER**

16inch Gasoline Lawn Mower



LG41P-P

LG41P

LG41S-P

LG41S

LG41PL-SG475

LG41PH-SG475

LG41S-SG475

LG41PL-08P5

LG41PH-08P5

LG41SH-08P5

Driving Type	Hand push	Hand push	Hand push	Self-propelled
Engine	SG350, 94cc, 1.6kW	SG350, 94cc, 1.6kW	SG350, 94cc, 1.6kW	SG350, 94cc, 1.6kW
Cutting width	406mm	406mm	406mm	406mm
Chassis	Plastic(PP)	Steel	Steel	Steel
Cutting height adjustment	25-40-60mm, 3 position	25-40-60mm, 3 position	25-75mm, 7 position	25-75mm, 7 position
Grass catcher	40 L	40 L	40 L	40 L
Wheels (front/rear)	6" / 6"	6" / 6"	6" / 6"	6" / 8"
N.W. / G.W. (kgs)	17 / 19	20 / 22	21 / 23	24 / 26
Carton Size (cm)	66*46.5*37.5	65*44.5*37.5	65*50.5*41	65*50.5*41
Container(20GP / 40GP / 40HQ)	246 / 510 / 594	258 / 540 / 628	195 / 410 / 492	195 / 410 / 492

Driving Type	Hand push	Hand push	Self-propelled	Hand push	Hand push	Self-propelled
Engine	SG475, 139cc, 2.5kW	SG475, 139cc, 2.5kW	SG475, 139cc, 2.5kW	B&S, 125cc, 1.69kW	B&S, 125cc, 1.69kW	B&S, 125cc, 1.69kW
Cutting width	406mm	406mm	406mm	406mm	406mm	406mm
Chassis	Steel	Steel	Steel	Steel	Steel	Steel
Cutting height adjustment	25-75mm, 7 position	25-75mm, 7 position	25-75mm, 7 position	25-75mm, 7 position	25-75mm, 7 position	25-75mm, 7 position
Grass catcher	40 L	40 L	40 L	40 L	40 L	40 L
Wheels (front/rear)	6" / 6"	6" / 8"	6" / 8"	6" / 6"	6" / 8"	6" / 8"
N.W. / G.W. (kgs)	23 / 25	23.5 / 25.5	26 / 28	19 / 21	19.5 / 21.5	21.5 / 23.5
Carton Size (cm)	65*50.5*44	65*50.5*44	65*50.5*44	65*50.5*39.5	65*50.5*39.5	65*50.5*39.5
Container(20GP / 40GP / 40HQ)	195 / 410 / 490	195 / 410 / 490	195 / 410 / 490	195 / 410 / 492	195 / 410 / 492	195 / 410 / 492



18inch Gasoline Lawn Mower



	LG46P	LG46S
Driving Type	Hand push	Self-propelled
Engine	OHV, 139cc, 2.5kW	OHV, 139cc, 2.5kW
Cutting width	460mm	460mm
Chassis	Steel	Steel
Cutting height adjustment	25-75mm, 8 position	25-75mm, 8 position
Grass catcher	50 L	50 L
Wheels (front/rear)	7" / 8"	7" / 8"
N.W. / G.W. (kgs)	28 / 30	30 / 32
Carton Size (cm)	75*53.5*43.5	75*53.5*43.5
Container(20GP / 40GP / 40HQ)	160 / 325 / 389	160 / 325 / 389

	LG46XMH-LC139	LG46XMH-BS500E	LG46SMH-S
Driving Type	Self-propelled	Self-propelled	Self-propelled
Engine	LONCIN, 139cc, 2.4kW	B&S, 140cc, 2.03kW	OHV, 139cc, 2.5kW
Cutting width	460mm	460mm	460mm
Chassis	Steel	Steel	Steel
Cutting height adjustment	25-75mm, 8 position	25-75mm, 8 position	25-75mm, 8 position
Grass catcher	62 L	62 L	62 L
Wheels (front/rear)	7" / 10"	7" / 10"	7" / 10"
4 IN 1 rear collection, side discharge, mulching, rear discharge	✓	✓	✓
N.W. / G.W. (kgs)	33 / 36	30.5 / 33.5	34 / 37
Carton Size (cm)	77*56.5*50 cm	77*56.5*50 cm	77*56.5*50 cm
Container(20GP / 40GP / 40HQ)	120 / 248 / 310	120 / 248 / 310	120 / 248 / 310



19inch Gasoline Lawn Mower



	LG48SMH-S	LG48SMH-B	LG48SMH-LC139	LG48SMH-BS500	LG48SMH-BS625E-OHV	LG48SMH-XP200
Driving Type	Self-propelled	Self-propelled	Self-propelled	Self-propelled	Self-propelled	Self-propelled
Engine	OHV, 139cc, 2.5kW	OHV, 173cc, 3.2kW	LONCIN, 139cc, 2.7kW	B&S, 140cc, 2.03kW	B&S, 150cc, 2.5kW	ZONGSHEN, 196cc, 3.5kW
Cutting width	480mm	480mm	480mm	480mm	480mm	480mm
Chassis	Steel	Steel	Steel	Steel	Steel	Steel
Cutting height adjustment	25-75mm, 8 position	25-75mm, 8 position	25-75mm, 8 position	25-75mm, 8 position	25-75mm, 8 position	25-75mm, 8 position
Grass catcher	62 L	62 L	62 L	62 L	62 L	62 L
Wheels (front/rear) inch	7" / 10"	7" / 10"	7" / 10"	7" / 10"	7" / 10"	7" / 10"
4 IN 1	√	√	√	√	√	√
N.W. / G.W. (kgs)	34 / 37	35 / 38	33 / 36	31 / 34	32 / 35	35 / 38
Carton Size (cm)	82*55*50 cm	82*55*50 cm	82*55*50 cm	82*55*50 cm	82*55*50 cm	82*55*50 cm
Container(20GP / 40GP / 40HQ)	112 / 224 /285	112 / 224 /285	112 / 224 /285	112 / 224 /285	112 / 224 /285	112 / 224 /285

20inch Gasoline Lawn Mower



	LG51SMH-MA190	LG51SMH-XP200
Driving Type	Self-propelled	Self-propelled
Engine	YAMAHA, 189cc, 3.5kW	ZONGSHEN, 196cc, 3.5kW
Cutting width	510mm	510mm
Chassis	Steel	Steel
Cutting height adjustment	25-80mm, 8 position	25-80mm, 8 position
Grass catcher	62 L	62 L
Wheel optional		
Luxury Wheels (front/rear)	8" / 11"	8" / 11"
Basic Wheels (front/rear)	7" / 10"	7" / 10"
4 IN 1 rear collection, side discharge, mulching, rear discharge	✓	✓
N.W. / G.W. (kgs)	35 / 38	35 / 38
Carton Size (cm)	85*57*50	85*57*50
Container(20GP / 40GP / 40HQ)	104 / 216 / 270	104 / 216 / 270

	LG51SMH-XP200AE	LG51SMH-LC196	LG51SMH-LC196D
Driving Type	Electric Start, Self-propelled	Self-propelled	Electric Start, Self-propelled
Engine	ZONGSHEN, 196cc, 3.5kW	LONCIN, 196cc, 3.5kW	LONCIN, 196cc, 3.5kW
Cutting width	510mm	510mm	510mm
Chassis	Steel	Steel	Steel
Cutting height adjustment	25-80mm, 8 position	25-80mm, 8 position	25-80mm, 8 position
Grass catcher	62 L	62 L	62 L
Wheel optional			
Luxury Wheels (front/rear)	8" / 11"	8" / 11"	8" / 11"
Basic Wheels (front/rear)	7" / 10"	7" / 10"	7" / 10"
4 IN 1 rear collection, side discharge, mulching, rear discharge	✓	✓	✓
N.W. / G.W. (kgs)	36 / 39	35 / 38	36 / 39
Carton Size (cm)	85*57*50	85*57*50	85*57*50
Container(20GP / 40GP / 40HQ)	104 / 216 / 270	104 / 216 / 270	104 / 216 / 270



20inch Gasoline Lawn Mower



	LG51SMH-B	LG51SMH-BS750
Driving Type	Self-propelled	Self-propelled
Engine	OHV, 173cc, 3.2kW	B&S 750, 161cc, 2.68kW
Cutting width	510mm	510mm
Chassis	Steel	Steel
Cutting height adjustment	25-80mm, 8 position	25-80mm, 8 position
Grass catcher	62 L	62 L
Wheel optional		
Luxury Wheels (front/rear)	8" / 11"	8" / 11"
Basic Wheels (front/rear)	7" / 10"	7" / 10"
4 IN 1 rear collection, side discharge, mulching, rear discharge	√	√
N.W. / G.W. (kgs)	35 / 38	35 / 38
Carton Size (cm)	85*57*50	85*57*50
Container(20GP / 40GP / 40HQ)	104 / 216 / 270	104 / 216 / 270

	LG51SMH-BS675EXi	LG51SMH-BS675iS	LG51SMH-BS625EXi
Driving Type	Self-propelled	Electric Start, Self-propelled	Self-propelled
Engine	B&S 675EXi, 163cc, 2.68kW	B&S 675EXi, 163cc, 2.68kW	B&S 625EXi, 150cc, 2.5kW
Cutting width	510mm	510mm	510mm
Chassis	Steel	Steel	Steel
Cutting height adjustment	25-80mm, 8 position	25-80mm, 8 position	25-80mm, 8 position
Grass catcher	62 L	62 L	62 L
Wheel optional			
Luxury Wheels (front/rear)	8" / 11"	8" / 11"	8" / 11"
Basic Wheels (front/rear)	7" / 10"	7" / 10"	7" / 10"
4 IN 1 rear collection, side discharge, mulching, rear discharge	√	√	√
N.W. / G.W. (kgs)	33 / 36	35 / 38	33 / 36
Carton Size (cm)	85*57*50	85*57*50	85*57*50
Container(20GP / 40GP / 40HQ)	104 / 216 / 270	104 / 216 / 270	104 / 216 / 270



21inch Gasoline Lawn Mower



LG53SMX-B

LG53SMX-LC196

LG53SMX-XP200

LG53SMX-MA190

LG53SMX-BS675EXi

LG53SMX-BS675iS

LG53SMX-BS750

LG53SMX-GCV170

Driving Type	Self-propelled	Self-propelled	Self-propelled
Engine	OHV, 173cc, 3.2kW	LONCIN, 196cc, 3.5kW	ZONGSHEN, 196cc, 3.5kW
Cutting width	530mm	530mm	530mm
Chassis	Steel	Steel	Steel
Cutting height adjustment	25-75mm, 8 position	25-75mm, 8 position	25-75mm, 8 position
Grass catcher	62 L	62 L	62 L
Wheel optional			
Luxury Wheels (front/rear)	8" / 11"	8" / 11"	8" / 11"
Basic Wheels (front/rear)	7" / 10"	7" / 10"	7" / 10"
4 IN 1 rear collection, side discharge, mulching, rear discharge	✓	✓	✓
N.W. / G.W. (kgs)	35.5 / 38.5	35.5 / 38.5	35.5 / 38.5
Carton Size (cm)	85*57*50	85*57*50	85*57*50
Container(20GP / 40GP / 40HQ)	104 / 216 / 270	104 / 216 / 270	104 / 216 / 270

Self-propelled	Self-propelled	Self-propelled	Self-propelled	Self-propelled
LONCIN, 196cc, 3.5kW	B&S 675EXi, 163cc, 2.68kW	Electric Start, Self-propelled	B&S 750, 161cc, 2.68kW	HONDA, 170cc, 2.4kW
530mm	530mm	530mm	530mm	530mm
Steel	Steel	Steel	Steel	Steel
25-75mm, 8 position	25-75mm, 8 position	25-75mm, 8 position	25-75mm, 8 position	25-75mm, 8 position
62 L	62 L	62 L	62 L	62 L
8" / 11"	8" / 11"	8" / 11"	8" / 11"	8" / 11"
7" / 10"	7" / 10"	7" / 10"	7" / 10"	7" / 10"
✓	✓	✓	✓	✓
35.5 / 38.5	33 / 36	34 / 37	35.5 / 38.5	35 / 38
85*57*50	85*57*50	85*57*50	85*57*50	85*57*50
104 / 216 / 270	104 / 216 / 270	104 / 216 / 270	104 / 216 / 270	104 / 216 / 270



21inch Gasoline Lawn Mower



	LG53SMH-B	LG53SMH-LC196	LG53SMH-XP200
Driving Type	Self-propelled	Self-propelled	Self-propelled
Engine	OHV, 173cc, 3.2kW	LONCIN, 196cc, 3.5kW	ZONGSHEN, 196cc, 3.5kW
Cutting width	530mm	530mm	530mm
Chassis	Steel	Steel	Steel
Cutting height adjustment	25-75mm, 8 position	25-75mm, 8 position	25-75mm, 8 position
Grass catcher	62 L	62 L	62 L
Wheels (front/rear) inch	7" / 10"	7" / 10"	7" / 10"
4 IN 1	√	√	√
N.W. / G.W. (kgs)	35.5 / 38.5	35.5 / 38.5	35.5 / 38.5
Carton Size (cm)	84.5*58*50 cm	84.5*58*50 cm	84.5*58*50 cm
Container(20GP / 40GP / 40HQ)	104 / 216 / 270	104 / 216 / 270	104 / 216 / 270

	LG53SMH-MA190	LG53SMH-BS675EXi	LG53SMH-BS675iS	LG53SMH-BS750
Driving Type	Self-propelled	Self-propelled	Self-propelled	Self-propelled
Engine	LONCIN, 196cc, 3.5kW	B&S 675EXi, 163cc, 2.68kW	Electric Start, Self-propelled	B&S 750, 161cc, 2.68kW
Cutting width	530mm	530mm	530mm	530mm
Chassis	Steel	Steel	Steel	Steel
Cutting height adjustment	25-75mm, 8 position	25-75mm, 8 position	25-75mm, 8 position	25-75mm, 8 position
Grass catcher	62 L	62 L	62 L	62 L
Wheels (front/rear) inch	7" / 10"	7" / 10"	7" / 10"	7" / 10"
4 IN 1	√	√	√	√
N.W. / G.W. (kgs)	35.5 / 38.5	33 / 36	34 / 37	35.5 / 38.5
Carton Size (cm)	84.5*58*50 cm	84.5*58*50 cm	84.5*58*50 cm	84.5*58*50 cm
Container(20GP / 40GP / 40HQ)	104 / 216 / 270	104 / 216 / 270	104 / 216 / 270	104 / 216 / 270

22inch Gasoline Lawn Mower



	LG56SMH-B	LG56SMH-XP200	LG56SMH-XP200AE
Driving Type	Self-propelled	Self-propelled	Electric Start, Self-propelled
Engine	OHV, 173cc, 3.2kW	ZONGSHEN, 196cc, 3.5kW	ZONGSHEN, 196cc, 3.5kW
Cutting width	560mm	560mm	560mm
Chassis	Steel	Steel	Steel
Cutting height adjustment	30-80mm, 8 position	30-80mm, 8 position	30-80mm, 8 position
Grass catcher	62 L	62 L	62 L
Wheels (front/rear) inch	8" / 11"	8" / 11"	8" / 11"
4 IN 1	✓	✓	✓
N.W. / G.W. (kgs)	38 / 41	38 / 41	39 / 42
Carton Size (cm)	92*62*50	92*62*50	92*62*50
Container(20GP / 40GP / 40HQ)	84 / 176 / 220	84 / 176 / 220	84 / 176 / 220

	LG56SMH-BS675EXi	LG56SMH-BS675iS	LG56SMH-LC196	LG56SMH-LC224
Driving Type	Self-propelled	Electric Start, Self-propelled	Self-propelled	Self-propelled
Engine	B&S 675EXi, 163cc, 2.68kW	B&S 675EXi, 163cc, 2.68kW	LONCIN, 196cc, 3.5kW	LONCIN, 224cc, 4.5kW
Cutting width	560mm	560mm	560mm	560mm
Chassis	Steel	Steel	Steel	Steel
Cutting height adjustment	30-80mm, 8 position	30-80mm, 8 position	30-80mm, 8 position	30-80mm, 8 position
Grass catcher	62 L	62 L	62 L	62 L
Wheels (front/rear) inch	8" / 11"	8" / 11"	8" / 11"	8" / 11"
4 IN 1	✓	✓	✓	✓
N.W. / G.W. (kgs)	36 / 39	37 / 40	38 / 41	39 / 42
Carton Size (cm)	92*62*50	92*62*50	92*62*50	92*62*50
Container(20GP / 40GP / 40HQ)	84 / 176 / 220	84 / 176 / 220	84 / 176 / 220	84 / 176 / 220

20inch Side Discharge Model



LG51M

LG51M-LC139

Driving Type	Hand push	Hand push
Engine	SG475, 139cc, 2.5kW	LONCIN, 139cc, 2.4kW
Cutting width	510mm	510mm
Chassis	Steel	Steel
Cutting height adjustment	30-80mm, 5 positions central	30-80mm, 5 positions central
Grass catcher	×	×
Wheels (front/rear) inch	7" / 7"	7" / 7"
Side discharge	✓	✓
Mulching	×	✓
N.W. / G.W. (kgs)	25.5 / 27.5	25.5 / 27.5
Carton Size (cm)	75.5*56*41	75.5*56*41
Container(20GP / 40GP / 40HQ)	155 / 315 / 378	155 / 315 / 378

LG51M4-LC139

LG51C-LC139

LG51C4-LC139

Hand push	Hand push	Hand push
LONCIN, 139cc, 2.4kW	LONCIN, 139cc, 2.4kW	LONCIN, 139cc, 2.4kW
510mm	510mm	510mm
Steel	Steel	Steel
30-60mm	30-80mm, 5 positions central	30-60mm
4 wheels adjusted by each bolt	5 positions central	4 wheels adjusted by each bolt
×	×	×
7" / 7"	7" / 7"	7" / 7"
✓	✓	✓
✓	×	×
24 / 26	25.5 / 27.5	24 / 26
74.5*53.5*37.5	75.5*56*41	74.5*53.5*37.5
192 / 390 / 453	155 / 315 / 378	192 / 390 / 453



Gasoline Scarifier & Gasoline Shredder

LG380-GX200

LG225-SG575

LG225-SG475

Engine	BDL168F-2, 196cc, 3.6kW	SG575 OHV, 173cc, 3.2kW	SG475 OHV, 139cc, 2.5kW
MAX Working width	380 mm	45 mm	45 mm
Working depth	-8 ~ +10 mm	/	/
Wheels (front/rear) inch	7" / 8"	8"	8"
N.W. / G.W. (kgs)	34 / 37	40 / 43	40 / 43
Carton Size (cm)	75*64*52.8	79*43.5*79	79*43.5*79
Container(20GP / 40GP / 40HQ)	104 / 216 / 269	104 / 224 / 224	104 / 224 / 224



Gasoline Tiller



	LG60T	LG60T-B	LG60T-BS500	LG36T
Engine	SG475 OHV, 139cc, 2.5kW	SG575 OHV, 173cc, 3.2kW	B&S 500E, 140cc, 2.03kW	SG475 OHV, 139cc, 2.5kW
Working width	60 / 36 cm	60 / 36 cm	60 / 36 cm	36 cm
Max working depth	26 cm	26 cm	26 cm	26 cm
Wheel(inch)	6"	6"	6"	6"
N.W. / G.W. (kgs)	35 / 38	36 / 39	32.5 / 35.5	31 / 34
Carton Size (cm)	69*38*66	69*38*66	69*38*66	69*38*66
Container(20GP / 40GP / 40HQ)	144 / 306 / 405	144 / 306 / 405	144 / 306 / 405	144 / 306 / 405

